



# INDEX MAPS.

**T.33N. R.15E. 2<sup>nd</sup> Mer.**



**T.34N. R.15E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

131

Township. N 34 South of Range. N 15 East of 2nd Mer Indiana.

South Boundary

- East On South Boundary of Sec 31 5° 00' E  
6, 00 Enter Swamp  
20 00 Left Do N.E. + S.W.  
29.89 A W. Oak 20 in. diam.  
40.00 Set a gr. Sec. post. from which  
a W. Oak 14 in. diam. bears N. 47 E. 9 links dist. &  
an Ironwood 6 " " " S. 4 W. 25 " "  
60.05 An Ironwood 6 in. diam.  
65.50 Enter River Bottom.  
66.30 Engineers Canal line  
76.34 To St. Joseph's River Course South and  
Set a post. from which  
a W. Oak 16 in. diam. bears S. 51 W. 23 links dist. &  
a Buckeye 18 in. " " N. 39 W. 24 " "  
78.80 Opposite Bank of River and  
Set a post from which  
an Elm 24 in. diam. bears N. 55 E. 13 links dist. &  
a Hackberry 8 in. " " S. 18 E. 24 " "  
80.00 Set post Corner to Sec. 31 + 32 from which  
a Buckeye 8 in. diam. bears N. 45 E. 25 links dist. &  
a W. Elm 10 " " " N. 68 W. 6 " "  
Land rolling 2nd rate. except the 1st 20 chains.  
Timber Ash, Elm, Beech, Sugar, Poplar,  
Oak & Hickory. Undergrowth, Spice, Ash,  
Syc. &c. &c.

- 
- East On South Boundary of Sec 32  
7.00 A Stream 6 links, wide. Course S. W.  
18.43 A W. Oak 20 in. diam.  
40.00 Set a gr. Sec. post from which  
an Ironwood 6 in. diam. bears N. 49 W. 3 links dist. &  
a Dogwood 5 " " " N. 41 E. 16 " "  
64.99 A Beech 18 in. diam.  
79.45 Old blazed line N + S  
80.00 Set a post Corner to Sec. 32 + 33 from which

## T 34. S. R. 15 E. 2nd Mer.

a Hickory 18 in. diam. bears N 15 W 3 1/2 links dist. &  
 an Ironwood 8 " " " N 68 E 26 "  
 Land rolling 2nd rate, Timber. Oak, Hickory,  
 Ash, Poplar, Elm &c. Undergrowth,  
 Spice, Ironwood, Ash, Linn. &c.

East On South Boundary of Sec 33.  
 24.96 Intersected State line 7 chains & 7 links  
 South of the 1.55<sup>th</sup> mile post, where  
 Set a post from which  
 an Ironwood 5 in. diam. bears N 37 W 17 1/2 links dist.  
 a Sugar 20 " " " S. 35 W 46 " "

North Boundary, var. 5.00' E.

East On South Boundary of Sec 31 T 35 N. R. 15 E.  
 36.71 a Cherry 10 in. diam.  
 46.00 Set a post from which  
 a Sugar 5 in. diam. bears N 25 1/2 W 13 links dist. &  
 an Ironwood 4 in. " " N. 47 E. 15 " "  
 57.03 a Beech 15 " "  
 77.00 Enter Swamp  
 50.00 Set a post Corner to Sec. 31 & 32 from which  
 an Elm 8 in. diam. bears N. 57 W. 4 links dist. &  
 a Do 13 " " " N. 45 1/2 E. 51 " "  
 Land Rolling 2nd rate, Timber. Beech,  
 Ash, Elm, Oak, Cherry, &c. Undergrowth  
 Beech, Ash, Ironwood, Willow & Spruce.

East On South Boundary of Sec. 32. T 35 N. R. 15 E.  
 18.00 Left the Swamp  
 22.75 a Linn 24 in. diam.  
 40.00 Set a post from which  
 a Beech 9 in. diam. bears N. 46 W. 34 links dist. &  
 a Do 15 " " " N. 64 1/2 E. 18 " "  
 50.33 a Hickory 22 in. diam.  
 74.50 a Run 3 links wide. Course South.

133

T 34 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

50.00 Set a post Corner to Sec. 32 + 33 from which  
 a Buckeye 5 in. diam. bears N 39° W 24 links dist.  
 a W. Oak 22 " " " N. 58° E. 30 " "  
 Sand Timber + Undergrowth as before.

East On North Boundary of Sec. 33 T. 35 N. R. 15 E

4.50 A Run 4 links wide, Course, S. E.

21.16 A W. Oak 19 in. diam.

28.00 A Run 4 links wide. Course S. E.

35.00 Enter Swamp

39.17 Intersect State line in Swamp 7.00 chains South  
 of the 169<sup>th</sup> mile post from which  
 an Ash 8 in. diam. bears S 26 1/2° W. 7 1/4 links dist.  
 an Elm 8 " " " N. 3 1/2° W. 1.22 " "  
 Sand. Timber + Undergrowth as before.  
 Jan<sup>y</sup> 17<sup>th</sup> 1831

West Boundary

North On East Boundary of Sec. 36 T 34 N. R 14 E

13.50 N.W. Corner of a large Swamp.

13.50 Left same.

27.00 Enter wet Prairie.

30.00 Left Do.

31.54 A W. Oak. 18 in. diam.

40.00 Set a 2<sup>nd</sup> Sec. post from which

a Spk. Oak. 12 in. diam. bears S 27° W. 27 1/2 links dist.

a Do 12 " " " N. 28° W. 22 " "

48.00 Willow Swamp

52.00 Left Do

62.81 A W. Oak 20 in. diam.

63.00 Enter Swamp

67.00 Left same

80.00 Set a post Corner to Sec. 35 + 36 from which

a W. Oak 30 in. diam. bears S 66° W. 36 links dist.

a Grey Ash 12 " " " N. 61° W. 37 " "

Sand rolling 3<sup>rd</sup> rate. Barrens interspersed



## T 34 N. R 15 E 2nd Mer. Indiana.

with net Prunies. Timber. Oak. Hick.  
 &c. Undergrowth. Sassafras Hazle. &c.

North On East Boundary of Sec 23 T. 34 N. R. 14 E.  
 18. 46 A Buck 24 in. diam.  
 36. 00 Enter Brushy Swamp  
 39. 00 Left Do  
 40. 01 Set a gr. Sec. post from which  
 a Black Oak 8 in. diam. bears South 4 links dist.  
 a W. Oak 10 " " " N. 2 E. 37 " "  
 41. 50 Enter Brushy Swamp  
 43. 00 Left the same  
 61. 82 A W. Oak 46 in. diam.  
 63. 25 A Stream 5 links wide, Course, N. E.  
 80. 00 Set a post Corner to Sec. 24 & 25 from which  
 a Hickory 18 in. diam. bears N. 42 W. 14 links dist. &  
 a Red Oak 5 " " " S. 49 W. 10 " "  
 Land Simlar &c as before

North On East Boundary of Sec 24. T. 34 N. R. 14 E.  
 20. 00 Enter Brushy Swamp  
 24. 00 Left Do " " E. & W.  
 34. 50 A Stream 4 links wide. Course East.  
 40. 00 Set a gr. Sec. post. from which  
 a W. Oak 20 in. diam. bears S. 34 W. 24 links dist. &  
 a Do 20 " " " N. 5 W. 14 " "  
 48. 00 Spring flush East  
 49. 50 A Stream 8 links wide. Course East.  
 62. 62 A Buckeye 12 in. diam.  
 69. 00 Enter Swamp  
 73. 50 Left same  
 80. 00 Set a post Corner to Sec. 13 & 24 from which  
 an Elm 12 in. diam. bears N. 42 W. 14 links dist.  
 a Do 12 " " " S. 66 E. 18 "  
 Land level Dry 2nd rate. Timber. Oak. Ash  
 Buck. &c. Undergrowth. Hazle. Sassafras. &c.

135

T 34 N. R 13 E 2nd Mer. Indians.

North On East Boundary of Sec 13 T 34 N. R 14 E.

4. 60 A Brushy Pond.  
 20.00 Set a gr. Sec. post from which  
 a Hickory 18 in. diam. bears N. 58° W. 14 links dist.  
 a W Oak 22 " " " S. 20° E. 19 " "  
 66.06 A Beech 20 in. diam.  
 69.00 A Swampy Stream 4 links wide, Course S. W.  
 80.00 Set a post Corner to Sect. 12 + 13 from which  
 a Red Oak 24 in. diam. bears S 50° W 15 links dist.  
 a Hickory 6 " " " N. 23° W. 30 " "  
 Land here 3<sup>d</sup> rate, Timber. Oak. Hickory,  
 Ash Elm, Maple, Beech, &c. Undergrowth  
 Greenwood Ash + Hickory.

North On East Boundary of Sec 12. T 34 N. R 14 E

- 40.00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears N. 34° W. 27 links dist.  
 an Ash 12 " " " S. 50° E. 20 " "  
 61.89 An Elm 20 " "  
 77.50 A Stream 20 links wide, Course S. E.  
 80.00 Set a post Corner to Sect. 1 + 12 from which  
 a Burr Oak 32 in. diam. bears N. 54° W. 31 links dist.  
 a Buckeye 20 " " " S. 13° W. 14 " "  
 Land + Timber same as before.

North On East Boundary of Sec 1. T 34 N. R 14 E.

- 19.40 A Beech 20 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 22 in. diam. bears N. 63° W. 16 links dist.  
 a Do 22 " " " S. 24° W. 40 " "  
 56.75 A Beech 20 " "  
 80.00 Set post for Township Corner from which  
 a Red Oak 12 in. diam. bears S. 29° W. 7 links dist.  
 an Elm 18 " " " N. 24° E. 7 " "

## T 34 N R 15 E 2nd Mer. Indiana.

an Elm 20 in. diam. bears N. 69 W. 9 links dist.  
 Land 1<sup>st</sup> 1/2 level 2<sup>nd</sup> rate. Land last 1/2 mile  
 rolling 1<sup>st</sup> rate. Timber, Ash. Elm. Buck  
 Sugar. Hickory. Walnut &c. Undergrowth  
 Spice. Ash. Ironwood, &c.

Surveyed by  
 Thomas Brown D.E.

## Subdivisions

- North Between Sect. 31 & 32 Var. 50' E
- 4.00 Brook or Bayou
- 19.00 A Sugar 24 in. diam.
- 29.00 A Brook 15 links wide. Course S.W.
- 32.42 To St. Josephs River S.W. & set Meander Post,  
 from which  
 an Alder 12 in. diam. bears East 22 links dist. &  
 a Do 18 " " " S. 26 W. 49 "
- 33.90 Leave River & set Meander Post, from which  
 an Alder 10 in. diam. bears N. 15 W. 20 links dist. &  
 a Do 10 " " " N. 30 W. 30 "
- 39.25 A Brook 10 links wide, Course S.E.
- 40.00 Set a gr. Sec. post from which  
 an Elm 24 in. diam. bears N. 65 E. 45 links dist.  
 & a B. Oak 10 " " " N. 15 E. 35 " "
- 67.00 A Red Oak 8 in. diam.
- 80.00 Leave River Bottom & set post Corner to  
 Sect. 31 & 32 29 & 30 from which  
 a B. Oak 10 in. diam. bears S. 9 E. 14 links dist. &  
 a B. Oak 8 " " " N. 45 E. 65 " "  
 Land 2<sup>nd</sup> rate wet River Bottom,  
 Timber. Elm, Alder, Oak. Ash. &c.

## West Between Sect. 30 &amp; 31

- 25.00 To Marsh
- 37.00 Left Do
- 40.00 Set Temporary gr. Sec. post.

T 34 N. R 15 E Ind. Mer. Indiana. <sup>137</sup>

45.00 To Marsh  
 50.00 Left Do  
 65.00 Willow Marsh  
 70.00 Left Do  
 79.80 Intersect West Boundary 26 links N. of Post.  
 Land to W. Oak Barrens

---

East Connected between Sec. 30 + 31  
 39.90 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 10 in. diam. bears S. 16 W. 23 links dist. &  
 a Do 24 " " " N. 88 W. 47 " "  
 79.80 To Sec. Corner.

---

North Between Sec. 29 + 30  
 20.00 A Brook 12 links wide, Course, S. E.  
 40.00 Set a gr. Sec. post from which  
 a Beech 18 in. diam. bears S. 16 W. 57 links dist. &  
 a W. Oak 36 " " " N. 77 E. 64 " "  
 55.00 A Brook 5 links wide. Course E.  
 55.00 A Do 5 " " " E  
 68.25 A W. Oak 6 in. diam.  
 80.00 Set a post Corner to Sec. 19 20. 29 + 30 from which.  
 a W. Oak 24 in. diam. bears S. 33 W. 38 links dist. &  
 a Beech 18 " " " S. 60 E. 33 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech &  
 W. Oaks.

---

West On Random between Sec. 19 + 30  
 40.00 Set a gr. Sec. post (Temporary)  
 57.00 A Stream 5 links wide, Course S. E.  
 78.00 A Trail N. E.  
 79.10 Intersect the West Boundary 30 links N. of Post.  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech & Oak

---

East Connected between Sec. 19 + 30  
 39.50 Set a gr. Sec. post at aver. dist. from which



T 34 N. R 15 E 2<sup>nd</sup> Mer. Indiana

79.10 To Sec. Corner  
 a Beech 15 in. diam. bears N. 45 E. 37 links dist. &  
 an Elmwood 8 in. " " S 20 E 7 " "

North Between Sec. 19 & 20  
 16.00 A Beech 18 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an Elmwood - in. diam. bears N 85 W 18 links dist.  
 & a Beech 16 " " " S 53 E 40 " "  
 45.00 To Marsh  
 50.00 Left Co  
 65.00 Willow Marsh  
 75.00 Left Co  
 80.00 Set a post Corner to Sec. 17. 18. 19 & 20 from which  
 a Cherry 10 in. diam. bears S 78 W 22 links dist. &  
 a W. Oak 8 " " " S. 30 E. 16 " "  
 Land level & 2<sup>nd</sup> rate. Timber. B & W. Oak.

West On Random between Sec. 18 & 19  
 40.00 Set Temporary gr. Sec. post.  
 79.12 Intersect the West Boundary 1.20 links  
 North of the Post  
 Land 2<sup>nd</sup> rate & W. Timber Timber.  
 W. Oak. & Hickory. heavy.

East Corrected between Sec. 18 & 19  
 34.54 Set a gr. Sec. post at aver. dist. from which  
 a B. Oak 8 in. diam. bears S. 15 E. 7 links dist. &  
 a Do 14 " " " N. 4 W. 10 " "  
 79.12 To Sec. Corner.

North Between Sec. 17 & 18  
 30.80 A W. Oak 18 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a W. Oak 12 in. diam. bears N. 64 E. 60 links dist. &  
 a Do 12 " " " N. 60 W. 45 " "

139

T 34 S. R. 15 E. 2<sup>nd</sup> Mer. Indiana.

20.00 Set a post Corner to Sec? 7, 8, 17 & 18 from which  
a Hickory 15 in. diam. bears S 84 W. 18 links dist.  
a Beech 12 " " " N 70 E 40 " "  
Land 2<sup>nd</sup> rate wet Oak Barren. Timber?  
No + 13 Oak.

---

West On Random between Sec? 7 & 18  
30.00 Willow Swamp  
40.00 Set Temporary op. Sec post.  
50.00 Left the Swamp  
76.90 Intersect West Boundary 1.35 links South of the Post.  
Land level 2<sup>nd</sup> rate. Timber. Beech. No Oak.  
B. Oak. Hickory. Willows. &c.

---

East Corrected between Sec? 7 & 18  
39.45 Set a q., Sec. post at aver. dist. from which  
a Cottonwood 8 in. diam. bears S 70 E 30 links dist.  
No other tree.  
78.90 To Sec. corner

---

North Between Sec? 7 & 8  
20.10 a Beech 18 in. diam?  
38.00 Head of Tamarac Swamp  
40.00 Set a q. Sec. post in swamp. from which  
a Tamarac 10 in. diam. bears S 5 E 37 links dist.  
a Do 14 " " " N 87 W 29 " "  
43.00 Left the Swamp  
A Brook 30 links wide. Course East.  
A Beech 18 in. diam?  
50.00 Set a post Corner to Sec? 5, 6, 7 & 8 from which  
a Beech 24 in. diam. bears S 27 E 20 links dist.  
a Do 12 " " " N 7 E 23 " "  
Land level 2<sup>nd</sup> rate. Timber. Beech. &  
No Oak.

---

West On Random between Sec? 6 & 7

## T 34 N. R 15 E 2nd Mer. Indiana.

40.00 Set Temporary gr. Sec post.  
 44.20 A Brook 25 links wide Course, S.E.  
 56.10 A Co 25 " " " " S.E.  
 78.20 Intersect the West Boundary 70 links  
 North of the Post.  
 Land 1<sup>st</sup> rate. Bottom. Timber. Beech,  
 Sugar. Hickory. Ash. Oak &c.

East Corrected between Sec. 6 & 7  
 39.10 Set a gr. Sec. post at aver. dist. from which  
 an Ash 8 in. diam. bears S. 14 N. 21 links dist. &  
 a Co 20 " " " " S. 65 N. 24 " "  
 78.10 To Sec. Corner.

North Between Sec. 5 & 6  
 23.25 A Beech 18 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears S. 30 E 6 links dist. &  
 a Co 20 " " " " S. 20 N. 25 " "  
 51.40 A Sycamore 30 in. diam.  
 77.88 Intersect the North Boundary 2.25 links West  
 of the Post.  
 Set a post Corner to Sec. 5 & 6 from which  
 an Elm 12 in. diam. bears S. 52 N. 100 links dist.  
 to Co 10 " " " " S. 42 E 77  
 Land here 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Ash & Hickory.

North Between Sec. 32 & 33  
 20.00 A Trail. E + N.  
 24.00 A Red Oak 24 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 24 in. diam. bears S. 25 N. 8 links dist. &  
 a S. Ash 10 " " " " S. 19 E 15 " "  
 59.20 A Beech 18 in. diam.  
 80.00 Set a post Corner to Sec. 28. 29. 32 & 33

141

T 34 N. R. 15 E 2nd Mer. Indiana.

from which  
 an Ash 12 in. diam. bears N. 29 E. 11 links dist. &  
 a Red Oak 18 " " " S. 65 W. 20 " "  
 Land level 1<sup>st</sup> rate. Timber. Beech. Ash.  
 Oak. + Hickory.

West On Random between Sec. 29 + 32

25.12 To Bend of St. Joseph's River + set G. P.  
 40.00 Set a Temporary of the post in River  
 40.25 Left River + set G. Post.  
 53.12 To River Course S. W. set G. Post  
 55.08 Left Do + set G. Post  
 80.50 Intersect the West Boundary. 40 links S. of Post  
 Land level. 2<sup>nd</sup> rate. Timber. Beech +  
 W. Oak.

East Corrected between Sec. 29 + 32

25.40 Set Meander Post on River. from which  
 a Maple 12 in. diam. bears S. 47 W. 80 links dist. &  
 a Willow 8 " " " N. 1 E. 80 " "  
 27.38 Leave River East + Marked Meander Post  
 on Lynn 8 in. diam.  
 40.25 Set a G. Sec. Post at river. dist. to Meander  
 Post on River. from which  
 a Lynn 8 in. diam. bears S. 63 W. 8 links dist. &  
 a Do 6 " " " S. 45 E. 14 " "  
 55.38 Leave the River + Set Meander post. from which  
 a Lynn 8 in. diam. bears S. 55 W. 20 links dist. &  
 a Do 5 " " " N. 73 E. 2.00 " "  
 80.50 To Sec. Corner.

North Between Sec. 28 + 29

13.75 To St. Joseph's River. + Set Meander Post.  
 from which  
 a Buckeye 12 in. diam. bears S. 35 W. 43 links dist. &  
 a Do 10 " " " S. 31 E. 40 " "



T<sup>34</sup> N. R. 15 E. 2nd Mer. Indians.

15.45 Leave the River & Set Meander Post  
from which a  
Red Oak 12 in. diam. bears N. 45 E. 10 links dis.  
to Do 10 " " " N. 47 W. 12 " "  
28.60 An Ash 10 in. diam.  
40.00 Set a gp. Sec. post. from which  
a Poplar 8 in. diam. bears East 2.4 links dis. &  
a W. Oak 24 " " " S. 88 W. 33 " "  
60.25 An Ash 20 in. diam.  
80.00 Set a post. Corner to Sec. 20. 21. 28 & 29  
from which  
an Ironwood 10 in. diam. bears S. 72 E. 21 links dis. &  
an Ash 12 " " " N. 73 W. 20 " "  
Land &c, same as before.

West On Random between Sec. 20 & 29  
18.00 Swamp  
20.00 Left same  
30.00 Same Swamp  
40.00 Set Temporary gp. Sec. post.  
40.50 Left the Swamp.  
80.50 Intersect the West Boundary 25 links South  
of the Post.  
Land level; 2nd rate. Timber. Beech,  
Ash. Oak & Hickory.

East Corrected between Sec. 20 & 29  
40.25 Set gp. Sec. post. at aver. dist. from which  
a Yellow 8 in. diam. bears S. 38 E. 163 links dis. &  
a W. Oak 10 " " " N. 40 E. 120 " "  
80.50 To Sec. Corner.

North Between Sec. 20 & 21  
20.00 To Swamp  
25.00 Left Do to West  
28.25 A W. Oak 18 in. diam.

143

T 34. N. R. 15 E 2<sup>nd</sup> Sec. Indiana.

35.00 To Marsh

40.00 Set a q. Sec. post from which (in Marsh)  
a Red Oak 12 in. diam. bears N. 27 W. 1. 30 lbs. dist.  
Van Elm 8 " " " S. 74 E. 90 " "

41.50 Left the Marsh

80.00 Set a post Corner to Sec. 16. 17. 20 + 21 from which  
a Beech 12 in. diam. bears S 64 E 100 links dist.  
a Do 18 " " " N. 70 W. 44 " "  
Land + Timber same as before.

West On Random between Sec. 17 + 20

35.00 To Marsh

40.00 Set Temporary q. Sec. post.

45.00 Left the same

79.93 Intersect the N. + S. line 1.18 links South of Post.  
Land level 2<sup>nd</sup> rate. Timber. Beech. W. Oak.  
Hickory. Vs. Vs.

East Corrected between Sec. 17 + 20

39.96 Set a q. Sec. post at aver. dist. from which  
a Cottonwood 8 in. diam. bears N. 79 E. 100 lbs. dist.  
a Do 10 " " " N. 85 W. 1.14 " "

79.93 To Sec. Corner

North Between Sec. 16 + 17

17.53 An Ash 10 in. diam.

35.50 Willow Marsh

40.00 Marked a S. Maple 10 in. diam. in Marsh.

55.59 Left the Marsh.

70.07 A Hickory 12 in. diam.

80.00 Set a post Corner to Sec. 8 9. 16 + 17 from which  
a Beech 20 in. diam. bears S. 70 E. 37 links dist.  
a Do 30 " " " N. 75 W. 50 " "

Land level 2<sup>nd</sup> rate. Timber. Beech. Oak.  
Hickory. Undergrowth. Spice B. Ash, Vs.

## T 34 N. R 15 E. 2nd Mer. Indiana.

West On Random between Sect. 8 + 17  
 40.00 Set Temporary gr. Sec. post  
 80.10 Intersect the N & E line 1.32 links E. of Post.  
 Land & Timber same as before.

East Corrected between Sect. 8 + 17  
 40.05 Set a gr. Sec. post at arer. dist. from which  
 a Hickory 24 in. diam. bears N 1 E 22 links dist. &  
 a Do 12 " " " S 31 W 17 " "  
 80.10 To Sec. Corner.

North Between Sect. 8 + 9  
 26.25 A W. Oak 36 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears N. 40 W. 31 links dist.  
 a Do 8 " " " S. 24 E. 8 " "  
 57.00 A Brook 25 links wide. Course S.E.  
 70.00 Willow Swamp  
 74.00 A Black Ash 12 in. diam.  
 80.00 Set a post Corner to Sect. 4. 5. 8 + 9 in Swamp  
 from which a  
 Willow 8 in. diam. bears S. 50 W. 25 links dist. &  
 a S. Maple 10 in. " " S. 65 E. 40 " "  
 Land & Timber same as before

West On Random between Sect. 5 + 8  
 14.00 To Swamp  
 25.50 Left Do.  
 40.00 Set Temporary gr. Sec. Post.  
 80.00 Intersect N & E line  
 Land & Timber same as before

East Corrected between Sect. 5 + 8  
 10.00 Set a gr. Sec. post on true line from which  
 a Beech 22 in. diam. bears N. 71 W. 20 links dist. &  
 a Beech 30 " " " N. 72 E. 32 " "

145

T 34 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

80.00 To Sec. Corner

North Between Sec. 4 & 5

5.00 Left the Swamp

21.35 A Beech 12 in. diam.

40.00 Set a gr. Sec. post from which  
a W. Oak 30 in. diam. bears S 60 E. 36 links dist. &  
a Beech 10 " " " N. 52 W. 8 " "

51.80 A Brook 15 links wide Course East.

68.20 A Beech 12 in. diam.

76.35 A Brook 15 links wide. Course E

78.18 Intersect the North Boundary 200 links West  
of the Post.

Set a post corner to Sec. 4 & 5 from which  
a Beech 12 in. diam. bears S. 10 W. 29 links dist. &  
a Do 18 " " " S. 70 E. 56 " "  
Land here 2<sup>nd</sup> rate. Timber, Beech, Ironwood  
and Beech. 2 Ash. &c.

East Between Sec. 28 & 33

2.10 A Trail N.E.

14.73 To St. Josephs River & set Meander Post.  
from which

an Ash 20 in. diam. bears S. 72 E. 13 links dist. &  
an Ironwood - in. " " S. 10 W. 33 " "

16.70 Leave the River & set Meander Post from which  
a Hackberry 10 in. diam. bears N. 5 W. 23 links dist. &  
an Elm 8 " " " S. 65 E. 30 " "

30.25 To River & set Meander Post, from which  
a Maple 10 in. diam. bears West 20 links dist. &  
a Hickory 12 " " " S. 70 W. 30 " "

31.00 State line in River

Land here River Bottom 1<sup>st</sup> rate. Timber,  
Beech. Ash. Elm. Walnut & Hickory.

East Between Sec. 21 & 28



T 34 N R 15 E 2<sup>nd</sup> Mer. Indiana

33.30 Intersect State line & set post Corner to  
 Sec. 21 & 28 from which  
 a Red Oak 10 in. diam. bears S. 72 W. 1/2 m. dist. &  
 a Beech 18 " " " S. 55 W. " "  
 Land 1<sup>st</sup> rate River Bottom. Timber Oak.  
 Ash. Walnut. Beech. &c.

East Between Sec. 16 & 21.

15.00 To Swamp

20.00 Left Do?

35.07 Intersect the State line & set post Corner  
 to Sec. 16 & 21 from which  
 a W. Oak 10 in. diam. bears N. 70 W. 1/4 links dist. &  
 a Hickory 18 " " " S. 30 W. 18 " "  
 Land &c same.

East Between Sec. 16 & 9.

31.00 Willow Marsh

37.40 State line in Marsh & set a Post Corner to  
 Sec. 9 & 16 from which  
 a Cottonwood 5 in. diam. bears S. 5 W. 275 lbs. dist. &  
 No other tree  
 Land & Timber same as before.

East Between Sec. 4 & 9

11.50 Left the Swamp.

19.20 A Beech 12 in. diam.

38.60 Intersect the State line and  
 set a post Corner to Sec. 4 & 9 from which  
 a Beech 10 in. diam. bears N. 62 W. 32 links dist. &  
 a Do 20 " " " S. 10 W. 5 " "  
 Land & Timber same as before.

Surveyed by  
 Geo. W. Harrison  
 Sep. 1890

Meanders of St. Joseph's River on the Right Bank. Commencing at Post on State line Thence in Sec 28.

Course	Distances	Remarks
S 40 1/2 W	3.50	
S 5 1/2 W	4.53	to Meander Post between Secs 28 & 33 Thence
S 48 1/2 E	2.45	To Meander Post on the State line. Thence

Down to another Meander Post on State line On the Right Bank. Thence down Stream.

S 87 W	5.37	In Sec 33
N 66 W	5.40	
N 37 1/2 W	8.37	To Meander Post on line between Secs 28 & 33
N 39 1/2 W	5.10	In Sec 28
N 27 W	9.00	
N 76 1/2 W	10.14	To Meander Post on line between Secs 28 & 29

S 77 W	9.00	
S 50 1/2 W	16.02	
S 67 1/2 W	5.04	
N 87 W	8.50	In Sec 29
N 75 1/2 W	8.50	
N 57 1/2 W	5.00	
N 15 W	5.00	
N 4 1/2 E	7.00	N 2.50 A Brook
N 55 W	4.25	N 3.00 Do.
S 47 1/2 W	4.00	
South	15.00	
S 16 W	4.08	To Meander Post. on line between 29 & 32

S 22 1/2 W	11.14
S 21 1/2 W	9.50
S 30 1/2 W	4.50
S 49 W	5.00

T 34. N. R. 15 E 2<sup>nd</sup> Mer. Indiana.

Courses	Distances	Remarks.
S 67 1/2 W	4.00	
S 77 W	4.03	
S 15 W	4.00	
S 1 E	7.00	
S 13 W	4.00	
S 45 W	2.00	To Meander Post on line between Sect. 31 + 32 Thence
S 65 W	10.50	
S 11 W	4.00	
S 40 E	7.50	In Sec 31
S 48 W	8.00	
S 11 E	8.00	
S 31 1/2 E	7.10	
S 8 1/2 E	2.72	To Meander Post on Town line between Towns 33 + 34
Meanders on Left Bank of the River. From the post on Town line. between Towns 33 + 34. Thence up Stream.		
N 33 W	8.32	
N 19 W	6.75	
N 4 1/2 E	2.67	
N 56 E	3.25	
N 16 1/2 E	4.03	
N 48 1/2 W	5.57	
N 5 W	3.06	
N 46 E	2.34	
N 76 E	5.11	To Meander Post on line between 31 + 32
N 33 1/2 E	5.80	
N 3 1/2 W	6.83	
N 1 E	4.12	
N 50 E	2.00	
N 72 1/2 E	6.30	

T 34 N. R. 15 E 2nd Mer. Indiana.

149

Courses	Distances	In Sec 30	Remarks
N 48 1/2 E	8.04		
N 27 1/2 E	9.51		
N 19 1/2 E	11.57		
N 25 E	6.32		To Meander post on line between 29 + 32
<hr/>			
N 2 W	12.50		
N 38 1/2 E	2.73	In Sec. 29	
N 86 1/2 E	1.56		
S 34 1/2 E	3.04		
S 1 1/2 W	9.23		
S 30 E	5.20		
S 61 1/2 E	6.00		To 2nd Meander post on line between 29 + 32
<hr/>			
S 80 E	6.19	In Sec. 32	
N 87 E	10.44		To 3rd Meander Post on line between 29 + 32
<hr/>			
N 64 E	5.88		
N 49 E	12.95	In Sec 29	
N 77 E	6.45		
N 85 1/2 E	2.63		To Meander Post on line between 28 + 29
<hr/>			
N 83 1/2 E	3.42		
S 72 1/2 E	5.37		
S 35 E	5.08	In Sec 28	
S 23 E	8.30		To Meander Post between Sec. 28 + 33
<hr/>			
S 44 E	11.22		
S 78 1/2 E	5.50	In Sec. 33	
N 81 1/2 E	4.08		To Meander Post on State line.
<hr/>			
Meanders of small bend on Left Bank. from State line to State line. Up Stream			
N 55 1/2 W	1.67	Sec. 28	
N 1 W	2.50		
N 59 E	1.57		To Meander Post on State line.



T 34 N. R 15 E 2<sup>nd</sup> Mer. Indiana.

1831

Surveyed by  
Geo. W. Harrison  
Dep. Surveyor.

Pursuant to a Contract dated Nov. 26<sup>th</sup> 1831.  
with William Lytle Surveyor General of  
the United States, I have Surveyed and  
Subdivided into Sections. Township No.  
34 North. Range No 15 East of the 2<sup>nd</sup>  
Mer. in the State of Indiana. and I do  
hereby Certify that the foregoing, are the true  
and Original Field Notes of the said Survey and  
Subdivisions, made under the Contract aforesaid  
Certified this 21<sup>st</sup> day of July 1831

Geo. W. Harrison  
D. S.

I Certify that the foregoing transcripts of the  
Field Notes of Township No 34 North Range No.  
15 East of the 2<sup>nd</sup> Mer. in the State of Indiana.  
has been compared with the original Notes in  
this Office, and found to be Correct  
Surveyor General's Office  
Cincinnati March 12<sup>th</sup> 1845

William Houston  
Sur. Genl.